



QMAP+ Pre-Course Study Modules Post Test

This test must be printed out, completed and handed in to the instructor when you arrive at class.

- 1) ___ Medications should be administered at the time of day that makes them the most effective. T/F
- 2) ___ The complete list of rights to safe and accurate medication administration are: the right med, the right dose, the right person, the right route, the right to refusal and the right time of administration. T/F
- 3) ___ The only reason for administration of medications is to cure illness or disease. T/F
- 4) ___ If the client has an Epi-Pen, this tells the staff the client is at risk for developing a rash. T/F
- 5) ___ If a client cannot swallow a medication, it is acceptable to crush the medication without a physician order, as long as the client has requested it. T/F
- 6) ___ The pharmacy has delivered an antibiotic for your client. You may administer the medication without a signed physician order, because the pharmacy has the order. T/F
- 7) ___ How many cc's of Maalox will you administer if the order is for 15ml of Maalox?
 - a) 30cc
 - b) 15cc
 - c) 5cc

8) ___ XL behind the name of a medication is the abbreviation for "extra long."
T/F

9) ___ The QMAP should document only the medications they have administered. Leave a blank if the medication was not administered so the documentation is accurate. T/F

10) ___ In an emergency, the QMAP may administer a behavior modifying medication to a confused client that is out of control. T/F

11) ___ If the QMAP is unable to administer a scheduled medication because the client is out of the facility, the QMAP needs to document this on the back of the MAR only. T/F

12) ___ If a client states they have trouble swallowing their medication, crush their medications at their request, so they don't choke. T/F

13) ___ Once the client has put the medication in their mouth, walk away so they have privacy and dignity while swallowing their medication. T/F

14) ___ After opening a liquid medication, place the cap of the liquid medication with the open side down, so nothing will contaminate it. T/F

15) ___ Do not let a client blow their nose prior to administration of nose drops, as the medication will not be as effective. T/F

16) ___ Gently apply the eye drop medication onto the lower part of the eyeball, no more than one inch from the eye. T/F

17) ___ The steps for eye drop administration include:

a. Wash hands, apply gloves and if the eye is mattered, wipe the eye with a tissue or warm wash cloth from the outer corner to the inner aspect of the eye.

b. Wash hands, apply gloves, and if the eye is mattered, wipe the eye with a tissue or warm wash cloth from the inner corner of the eye to the outer aspect of the eye.

c. Wash hands, apply gloves, never wipe the eye, as it will contaminate the area.

- 18) ___ Inhalers are the only option used to treat lung disease. T/F
- 19) ___ If a client is short of breath and requests their oxygen liter flow be turned up, the QMAP may do so because this is honoring the request of the client. T/F
- 20) ___ If you use a tongue blade to apply an ointment, you do not have to wear gloves. T/F
- 21) ___ For administration of a rectal suppository the client should be on their back or a left side lying position. T/F
- 22) ___ Warming the suppository in the hand, makes insertion more comfortable for the client. T/F
- 23) ___ If the qualified manager sees a discrepancy between physician orders and the MAR, or the MRB label, while filling an MRB, they should finish filling the MRB and then immediately notify their supervisor of the discrepancy, to prevent a medication error. T/F
- 24) ___ For refrigerated controlled medications the following is required:
- a. Locked box in a locked refrigerator.
 - b. Locked box in an unlocked refrigerator
 - c. Refrigerated controlled substances do not have to be double-locked
- 25) ___ Medications must be stored separately:
- a. For each resident
 - b. For controlled substances
 - c. From food
 - d. From cleaning supplies
 - e. B only
 - f. C and D
 - g. All of the above.